


#### Type N Male Positive Stop™ for 1-5/8 in cable

Product Type	Wireless and radiating connector
Product Brand	HELIAX® ∣ Positive Stop™
Product Series	AVA7-50   AVA7RK-50
Ordering Note	ANDREW® standard product in the United States and Canada
General Specifications	
Body Style	Straight
Inner Contact Attachment Method	Captivated
Inner Contact Plating	Silver
Interface	N Male
Mounting Angle	Straight
Outer Contact Attachment Method	Ring-flare
Outer Contact Plating	Trimetal
Pressurizable	No
Dimensions	
Length	114.3 mm   4.5 in
Diameter	62.74 mm   2.47 in
Nominal Size	1-5/8 in

### Outline Drawing

Page 1 of 4





### **Electrical Specifications**

3rd Order IMD at Frequency	-116 dBm @ 910 MHz
3rd Order IMD Test Method	Two +43 dBm carriers
Insertion Loss Coefficient, typical	0.05
Average Power at Frequency	0.6 kW @ 900 MHz
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	2000 V
Inner Contact Resistance, maximum	2 mOhm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 – 2700 MHz
Outer Contact Resistance, maximum	0.3 mOhm
Peak Power, maximum	10 kW
RF Operating Voltage, maximum (vrms)	707 V
Shielding Effectiveness	-130 dB

#### VSWR/Return Loss

Frequency Band	VSWR
45–400 MHz	1.023

Return Loss (dB)

38.89



401–805 MHz	1.023	38.89
806–960 MHz	1.023	38.89
961–1709 MHz	1.029	36.9
1710-2170 MHz	1.036	35.05
2170–2399 MHz	1.065	30.04
2400-2700 MHz	1.083	27.99

### Mechanical Specifications

Attachment Durability	25 cycles
Connector Retention Tensile Force	2,224.11 N   500 lbf
Connector Retention Torque	13.56 N-m   119.998 in lb
Coupling Nut Proof Torque	4.52 N-m   39.997 in lb
Coupling Nut Retention Force	444.82 N   100 lbf
Coupling Nut Retention Force Method	MIL-C-39012C-3.25, 4.6.22
Insertion Force	66.72 N   15 lbf
Insertion Force Method	MIL-C-39012C-3.12, 4.6.9
Interface Durability	500 cycles
Interface Durability Method	IEC 61169-16:9.5
Mechanical Shock Test Method	MIL-STD-202F, Method 213B, Test Condition C

#### **Environmental Specifications**

Operating Temperature	-55 °C to +85 °C (-67 °F to +185 °F)
Storage Temperature	-55 °C to +85 °C (-67 °F to +185 °F)
Attenuation, Ambient Temperature	20 °C   68 °F
Average Power, Ambient Temperature	40 °C   104 °F
Corrosion Test Method	MIL-STD-1344A, Method 1001.1, Test Condition A
Immersion Depth	1 m
Immersion Test Mating	Unmated
Immersion Test Method	IEC 60529:2001, IP68
Moisture Resistance Test Method	MIL-STD-202F, Method 106F
Thermal Shock Test Method	MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 $^\circ\mathrm{C}$
Vibration Test Method	IEC 60068-2-6
Water Jetting Test Mating	Unmated

Page 3 of 4



#### Water Jetting Test Method

IEC 60529:2001, IP66

#### Packaging and Weights

Weight, net

768 g | 1.693 lb

#### Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.andrew.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant

#### \* Footnotes

Insertion Loss Coefficient, typical	$0.05\sqrt{-1}$ freq (GHz) (not applicable for elliptical waveguide)
Immersion Depth	Immersion at specified depth for 24 hours



an Amphenol company

Page 4 of 4