Type N Male Right Angle Positive Lock for 3/8 in LDF2-50 cable



Product Classification

Product TypeWireless and radiating connector

Product Brand HELIAX®
Product Series LDF2-50

General Specifications

Body Style Right angle
Cable Family LDF2-50
Inner Contact Attachment Method Captivated
Inner Contact Plating Silver
Interface N Male

Mounting AngleRight angleOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetalPressurizableNo

Dimensions

 Height
 20.57 mm | 0.81 in

 Width
 22.35 mm | 0.88 in

 Length
 58.42 mm | 2.3 in


 Right Angle Length
 20.57 mm | 0.81 in

 Diameter
 22.35 mm | 0.88 in

Nominal Size 3/8 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency-107 dBm @ 910 MHz3rd Order IMD Test MethodTwo +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.7 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 mOhmInsulation Resistance, minimum5000 MOhmOperating Frequency Band0 - 10000 MHz

Outer Contact Resistance, maximum 0.25 mOhm

Peak Power, maximum10 kWRF Operating Voltage, maximum (vrms)707 VShielding Effectiveness-110 dB

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

0–960 MHz 1.052 31.92

COMMSCOPE®

960-2200 MHz	1.06	30.71
2200-2700 MHz	1.065	30.04
2700-4000 MHz	1.115	25.29
4000-6000 MHz	1.16	22.61
6000-8000 MHz	1.185	21.45
8000-10000 MHz	1.185	21.45

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force671.68 N | 151 lbfConnector Retention Torque2.7 N-m | 23.897 in lbCoupling Nut Proof Torque1.7 N-m | 15.046 in lbCoupling Nut Retention Force449.98 N | 101.16 lbf

Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Insertion Force27.98 N | 6.29 lbfInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 500 cycles

Interface Durability MethodIEC 61169-16:9.5Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \left(-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F}\right)$

Storage Temperature $-65 \,^{\circ}\text{C} \text{ to } +125 \,^{\circ}\text{C} \, (-85 \,^{\circ}\text{F to } +257 \,^{\circ}\text{F})$

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FAverage Power, Inner Conductor Temperature100 °C | 212 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6



Packaging and Weights

Weight, net 83.48 g | 0.184 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



* Footnotes

Insertion Loss Coefficient, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

