## R5PDF



7-16 DIN Female Low PIM Positive Stop™ for 7/8 in RCT RADIAX® Radiating cable

#### **OBSOLETE**

This product was discontinued on: January 30, 2024

#### **Product Classification**

Product Type Wireless and radiating connector

Product Brand RADIAX®

General Specifications

Body Style Straight
Cable Family RCT5

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 7-16 DIN Female

Mounting AngleStraightOuter Contact Attachment MethodClampOuter Contact PlatingTrimetal

**Dimensions** 

 Length
 57.66 mm | 2.27 in


 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

## Outline Drawing



# R5PDF



## **Electrical Specifications**

**3rd Order IMD at Frequency** -107 dBm @ 910 MHz

**3rd Order IMD Test Method** Two +43 dBm carriers

**Insertion Loss Coefficient, typical** 0.05

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage4000 V

Inner Contact Resistance, maximum 0.4 mOhm

Insulation Resistance, minimum 10000 MOhm

Operating Frequency Band 0 - 2700 MHz

Outer Contact Resistance, maximum 1.5 mOhm

Peak Power, maximum 28.8 kW

**RF Operating Voltage, maximum (vrms)** 1200 V

## VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
50-1000 MHz	1.04	34.16
1010-2200 MHz	1.07	29.42
2200-2700 MHz	1.08	28.3

**COMMSCOPE®** 

# R5PDF

## Mechanical Specifications

**Connector Retention Tensile Force** 671.68 N | 151 lbf

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:9.5

Mechanical Shock Test Method IEC 60068-2-27

### **Environmental Specifications**

Operating Temperature-55 °C to +85 °C (-67 °F to +185 °F)Storage Temperature-55 °C to +85 °C (-67 °F to +185 °F)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

Corrosion Test Method IEC 60068-2-11

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 198.69 g | 0.438 lb

## Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

