

AVA6RK-50, HELIAX® Andrew Virtual Air™ Premium Coaxial Cable, corrugated copper, 1-1/4 in, black, fire retardant polyolefin jacket B2caslb, d2,a1 (CPR testing is conducted annually please reference the website for latest classification)

Product Classification

Product Type Coaxial wireless cable

Product Brand HELIAX®
Product Series AVA6-50

General Specifications

Product Number 520092202/00

Flexibility Standard

Jacket Color Black

Performance NoteAttenuation values typical, guaranteed within 5%

Dimensions

 Diameter Over Dielectric
 34.036 mm | 1.34 in

 Diameter Over Jacket
 39.624 mm | 1.56 in

 Inner Conductor OD
 14.021 mm | 0.552 in

 Outer Conductor OD
 36.068 mm | 1.42 in

Nominal Size 1-1/4 in

Electrical Specifications

Cable Impedance 50 ohm ±1 ohm

Capacitance 72 pF/m | 21.946 pF/ft

dc Resistance, Inner Conductor1.74 ohms/km | 0.53 ohms/kftdc Resistance, Outer Conductor0.75 ohms/km | 0.229 ohms/kft

dc Test Voltage 8500 V

Inductance $0.187 \, \mu H/m \, \mid \, 0.057 \, \mu H/ft$

Insulation Resistance 100000 MOhms-km

Jacket Spark Test Voltage (rms) 10000 V

Page 1 of 5

Operating Frequency Band 1 – 4000 MHz

Peak Power 180 kW
Velocity 92 %

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
703-803 MHz	1.201	20.8
885-960 MHz	1.151	23.1
1710-2170 MHz	1.151	23.1
2490-2690 MHz	1.201	20.8
3300-3400 MHz	1.433	15
3400-3700 MHz	1.25	19.1
3700-3800 MHz	1.433	15
3800-4000 MHz	1.377	16

Attenuation

Frequency (MHz)	Attenuation (dB/100 m)	Attenuation (dB/100 ft)	Average Power (kW)
1.0	0.079	0.024	82.63
1.5	0.097	0.03	67.41
2.0	0.113	0.034	58.33
10.0	0.253	0.077	25.89
20.0	0.36	0.11	18.21
30.0	0.443	0.135	14.8
50.0	0.576	0.176	11.39
85.0	0.758	0.231	8.66
88.0	0.772	0.235	8.51
100.0	0.825	0.251	7.96
108.0	0.858	0.262	7.65
150.0	1.019	0.311	6.44
174.0	1.102	0.336	5.96
200.0	1.186	0.361	5.53
204.0	1.198	0.365	5.48
300.0	1.471	0.448	4.46
400.0	1.717	0.523	3.82
450.0	1.829	0.558	3.59

Page 2 of 5



460.0	1.851	0.564	3.54
500.0	1.937	0.59	3.39
512.0	1.962	0.598	3.34
600.0	2.14	0.652	3.07
700.0	2.329	0.71	2.82
800.0	2.507	0.764	2.62
824.0	2.548	0.777	2.58
894.0	2.666	0.813	2.46
960.0	2.774	0.846	2.37
1000.0	2.838	0.865	2.31
1218.0	3.171	0.967	2.07
1250.0	3.218	0.981	2.04
1500.0	3.569	1.088	1.84
1700.0	3.835	1.169	1.71
1794.0	3.955	1.206	1.66
1800.0	3.963	1.208	1.66
2000.0	4.212	1.284	1.56
2100.0	4.333	1.321	1.51
2200.0	4.452	1.357	1.47
2300.0	4.569	1.393	1.44
2500.0	4.798	1.462	1.37
2700.0	5.021	1.53	1.31
3000.0	5.345	1.629	1.23
3400.0	5.76	1.755	1.14
3600.0	5.961	1.817	1.1
3700.0	6.06	1.847	1.08
3800.0	6.16	1.877	1.07
4000.0	6.36	1.94	1.03

Material Specifications

Dielectric Material Foam PE

Jacket Material Non-halogenated, fire retardant polyolefin

Inner Conductor Material Corrugated copper tube

Outer Conductor Material Corrugated copper

Mechanical Specifications



Minimum Bend Radius, multiple Bends203.2 mm8 inMinimum Bend Radius, single Bend152.4 mm6 in

Number of Bends, minimum 15 Number of Bends, typical 40

 Tensile Strength
 154 kg | 339.511 lb

 Bending Moment
 29.8 N-m | 263.752 in lb

 Flat Plate Crush Strength
 1.3 kg/mm | 72.797 lb/in

Environmental Specifications

Installation temperature $-40 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+140 \,^{\circ}\text{F}$)

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+140 \,^{\circ}\text{F}$)

Storage Temperature $-40 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+140 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $68 \,^{\circ}\text{F} \mid 20 \,^{\circ}\text{C}$ Average Power, Ambient Temperature $104 \,^{\circ}\text{F} \mid 40 \,^{\circ}\text{C}$ Average Power, Inner Conductor Temperature $212 \,^{\circ}\text{F} \mid 100 \,^{\circ}\text{C}$

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Ratings1bEN50575 CPR Cable EuroClass Droplets Ratingd2EN50575 CPR Cable EuroClass Acidity Ratinga1

Fire Retardancy Test Method IEC 60332-1-2 | NFPA 130-2010 | UL 1666/CATVR

Smoke Index Test Method IEC 61034

Toxicity Index Test Method IEC 60754-1 | IEC 60754-2

Packaging and Weights

Cable weight 0.8 kg/m | 0.538 lb/ft

Regulatory Compliance/Certifications

AgencyClassificationCENELECEN 50575 compliant, Declaration of Performance (DoP) availableCHINA-ROHSBelow maximum concentration valueISO 9001:2015Designed, manufactured and/or distributed under this quality management systemREACH-SVHCCompliant as per SVHC revision on www.commscope.com/ProductComplianceROHSCompliant



UK-ROHS

Compliant





