810010312/DB | D-001-DD-8G-M01BK/AY/24/AY /D-0500-FR00



Fiber OSP cable, A2 Dual-sheathed HDPE Drop, LSZH Subunit, Loose buffer, Singlemode, G.657.A2, 1 fiber (Red), Gel-free, Meters jacket marking, Black jacket color 500M Reel

Product Classification

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

 Portfolio
 CommScope®

 Product Type
 Fiber drop cable

Product Series D-DD

General Specifications

Cable Type Outdoor drop with indoor subunit

Construction Type Non-armored

Subunit TypeGel-freeInner Jacket ColorWhiteJacket ColorBlackJacket MarkingMeters

Jacket Marking Text COMMSCOPE OPTICAL CABLE 810010312/DB G657A2 SM 1 FIBER

EN50575 CLASS Dca [SERIAL NUMBER] [MM/YYYY] [Meter marking] m

Subunit, quantity 1

Fibers per Subunit, quantity 1

Total Fiber Count 1

Dimensions

Cable Length 500 m | 1,640.42 ft


Buffer Tube/Subunit Diameter 2 mm | 0.079 in

Diameter Over Jacket 5 mm | 0.197 in

Representative Image



810010312/DB | D-001-DD-8G-M01BK/AY/24/AY /D-0500-FR00



Material Specifications

Jacket MaterialHigh density polyethylene (HDPE)Inner Jacket MaterialLow Smoke Zero Halogen (LSZH)

Mechanical Specifications

Minimum Bend Radius, loaded50 mm | 1.969 inMinimum Bend Radius, unloaded30 mm | 1.181 inTensile Load, long term, maximum400 N | 89.924 lbfTensile Load, short term, maximum880 N | 197.832 lbf

 Compression
 20 N/mm | 114.203 lb/in

 Compression Test Method
 FOTP-41 | IEC 60794-1 E3

Flex 35 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

Impact 5 N-m | 44.254 in lb

 Impact Test Method
 FOTP-25 | IEC 60794-1 E4

 Strain Test Method
 FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

COMMSCOPE®

810010312/DB | D-001-DD-8G-M01BK/AY/24/AY /D-0500-FR00

Optical Specifications

Fiber Type G.657.A2 | G.657.A2, TeraSPEED®

Environmental Specifications

Operating Temperature

-40 °C to +70 °C (-40 °F to +158 °F)

Storage Temperature

-40 °C to +70 °C (-40 °F to +158 °F)

Cable Qualification Standards

IEC 60794-1-2 | Telcordia GR-20

EN50575 CPR Cable EuroClass Fire PerformanceCcaEN50575 CPR Cable EuroClass Smoke Ratings1aEN50575 CPR Cable EuroClass Droplets Ratingd0EN50575 CPR Cable EuroClass Acidity Ratinga1

Environmental Space Aerial, lashed | Buried | Drop | Façade | Underground (duct)

Jacket UV Resistance UV stabilized

Water Penentration 24 h

Water Penentration Test Method FOTP-82 | IEC 60794-1 F5

Environmental Test Specifications

Cable Freeze $-2 \,^{\circ}\text{C}$ $| 28.4 \,^{\circ}\text{F}$

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

Heat Age $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ $(-40 \,^{\circ}\text{F to} +185 \,^{\circ}\text{F})$

Heat Age Test Method IEC 60794-1 F9

Low High Bend $-30 \,^{\circ}\text{C to } +60 \,^{\circ}\text{C } (-22 \,^{\circ}\text{F to } +140 \,^{\circ}\text{F})$

Low High Bend Test Method FOTP-37 | IEC 60794-1 E11

Temperature Cycle $-40 \,^{\circ}\text{C}$ to $+70 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+158 \,^{\circ}\text{F}$)

Temperature Cycle Test Method FOTP-3 | IEC 60794-1 F1

Packaging and Weights

Cable weight 23.5 kg/km | 15.791 lb/kft

Included Products

CS-8G-MP – Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Fiber (ITU-T

G.657.A2, B2)



810010312/DB | D-001-DD-8G-M01BK/AY/24/AY / D-0500-FR00

* Footnotes

Operating Temperature Specification applicable to non-terminated bulk fiber cable