C-DS-SU Fiber Cable by CommScope

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1717571584

CLASSIFICATION: 33 82 23 Optical Fiber Communications Transmission and Distribution Cabling

PRODUCT DESCRIPTION: Product Name: Indoor/Outdoor LSZH Riser Distribution Communication and Data Wires and Cables Product Characteristics: - Indoor/outdoor cables are tough enough for outdoor use while also being listed for indoor use - Superior mechanical and optical performance with unmatched stability and quality

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- C Material

• Product

- Threshold Level
 100 ppm
 ⊙ 1,000 ppm
 Per GHS SDS
 Other
- **Residuals/Impurities Evaluation**
- Completed
- C Partially Completed
- C Not Completed
- Explanation(s) provided : • Yes • No

Basic Method / Product Threshold

For all contents above the threshold, the n Characterized	nanufacturer has:		
Provided weight and role. Screened	⊙ Yes ⊜ No		
Provided screening results using HPDC-approved methods.			
Identified	🔿 Yes 🖸 No		
Provided name and CAS RN or other identifier.			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

C-DS-SU FIBER CABLE [ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE ETHYLENEVINYLACETATE COPOLYMER LT-UNK SODIUM HYDROXIDE LT-P1 | SKI | MAM | EYE CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 | MUL DIPROPYLENE GLYCOL DIACRYLATE LT-UNK || SKI | EYE UNDISCLOSED NoGS TITANIUM DIOXIDE BM-1 | CAN | END | MAM TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The information of colorants is confidential.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2025-01-27 PUBLISHED DATE: 2025-01-27 EXPIRY DATE: 2028-01-27 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

C-DS-SU FIBER CABLE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER PRODUCT NOTES:

ALUMINUM HYDROXIDE,	DRIED			ID: 21645-51-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2025-01-27 0:06:45
%: 43.8244	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	gory 2
EYE	GHS - New Zealand		Eye irritation cate	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURC	E	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Biological and Env	vironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Produc	ts
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4.1 Substances - Effe	Product Standard Restricted ctive July 1, 2024
			Children's Toy Pro	oducts

SUBSTANCE NOTES:

ETHYLENEVINYLACETATE COPOLYMER

ID: 24937-78-8

HAZARD DATA SOU	RCE: Pharos Chemical and Materials Librar	HAZARD	SCREENING DATE: 2025-01-27 0:06:45	
%: 30.2389	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

SODIUM HYDROXIDE

ID: 1310-73-2

%: 13.1473 HAZARD TYPE SKI	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
SKI	LIST MAIVE AND SOURC	CE	WARNINGS	
	EU - GHS (H-Statements) Annex 6 Table 3-1		evere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
EYE	GHS - New Zealand		Serious eye dama	age category 1
EYE	GHS - Japan		H318 - Causes se eye irritation - Cat	erious eye damage [Serious eye damage tegory 1]
SKI	GHS - Japan		H314 - Causes se corrosion / irritatio	evere skin burns and eye damage [Skin on - Category 1]
SKI	GHS - Australia			evere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
SKI	GHS - Korea		H314 - Causes se corrosion/irritation	evere skin burns and eye damage [Skin n - Category 1]
SKI	GHS - New Zealand		Skin corrosion cat	egory 1B
SKI	GHS - Malaysia			evere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
EYE	GHS - Malaysia		H318 - Causes se damage/eye irritat	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURC	CE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	s Innovation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	sonal Care Products
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	s Innovation Institute	C2C Certified v4. Substances - Effe	1 Product Standard Restricted active July 1, 2024
			Cosmetics and Pe	ersonal Care Products

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-27 0:			
%: 8.9068	GreenScree	n: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	E: Flame retardant
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS		
None found				No w	varnings found on HPD	Priority Hazard Lists
ADDITIONAL LIST	TINGS	LIST NAME AND SOURCE		NOTIFICATION	I	
EXEMPT		European Union / European EC)	Commission (EU	EU - REACH E	xemptions	
				Exempted from safety	REACH Annex V listing	g due to intrinsic

SUBSTANCE NOTES:

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD DATA SOURCE: Pharo	s Chemical and Materials Library	HAZARD SCREENING DATE: 2025-01-27 0:06:
%: 1.1440 GreenSc	reen: BM-1 RC: No	NANO: No SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Insti (C2CPII)	tute C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2025-01-27 0:06:46
%: 0.9757 Gre	enScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation categ	Jory 2
EYE	GHS - New Zealand		Eye irritation catego	ory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
News forward			N	

None found

No listings found on Additional Hazard Lists

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOL	JRCE: Pharo	s Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2025-01-27 0:06:46
%: 0.5259	GreenScr	een: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
None found				No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTI	INGS	LIST NAME AND SOURCE		NOTIFICATION	
None found				No	b listings found on Additional Hazard Lists
ADDITIONAL LISTI	INGS	LIST NAME AND SOURCE		NOTIFICATION	

SUBSTANCE NOTES: Substance information is confidential.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOUR	HAZARD DATA SOURCE: Pharos Chemical and Materials Library			SCREENING DATE: 2025-01-27 0:06:47
%: 0.4382	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Care	cinogens	Occupational Carc	inogen
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route
CAN	IARC		Group 2B - Possib from occupational	ly carcinogenic to humans - inhaled sources
CAN	МАК		• ·	3A - Evidence of carcinogenic effects establish MAK/BAT value
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor
CAN	МАК		Carcinogen Group risk under MAK/BA	4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or Specific target organs/systemic toxicity exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

	TRIPROPYLENE GLYCOL DIACRYLATE				ID: 42978-66-5
ſ	HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SO	CREENING DATE: 2025-01-27 0:06:47
	%: 0.1431 GreenScreen: LT-P1 RC: None			NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities. CERTIFICATE URL: ISSUE DATE: 2025-01-24 00:00:00 EXPIRY DATE: CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

CommScope (NASDAQ: COMM) helps design, build and manage wired and wireless networks around the world. Corporate responsibility and sustainability drive us to make decisions that benefit people, society, the planet and our bottom line. We enable faster, smarter and more sustainable solutions while respecting human and natural resources. Innovative technology, intelligent engineering and energy-efficient design help us meet our goals. CommScope builds sustainable networks that make our customers more agile, simultaneously helping to preserve the natural ecosystems from which we source components and materials.

MANUFACTURER INFORMATION

MANUFACTURER: CommScope ADDRESS: Claremont Claremont, California 6010 COUNTRY: United States WEBSITE: www.CommScope.com CONTACT NAME: Hatch, Nathan TITLE: Snr Principal Engineer PHONE: 8284595468 EMAIL: nhatch@commscope.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.