

**DECLARATION OF PERFORMANCE**  
**No. 0843-CPR-200108**

1. Unique identification code of the product type: **CS44ZB F/FTP**
2. Type, batch or serial number: **CS44ZB F/FTP found on cable print or on packaging label**
3. Intended use(s): *Supply of communications in buildings and other civil engineering works, communication cable with the objective of limiting the generation and spread of fire and smoke.*
4. Manufacturer Name: *CommScope EMEA, Ltd.  
Corke Abbey Avenue  
Bray, Wicklow, Ireland A98 FY03  
Tel: +353 1 204 2000  
Fax: +353 1 204 2003*
5. Authorized representative: *Not Applicable*
6. System/s of AVCP: **System 1+**
7. Harmonized standard: **BS EN50575:2014+A1:2016**  
Notified body(s): *No. 0843 – UL International (UK), Ltd.*

*Notified body No. 0843 performed the determination of the product type, the initial inspection of the manufacturing facility and of FPC, the continuous surveillance, assessment and evaluation of the FPC and the audit testing of samples taken before placing the product on the market and issued the certificate of constancy of performance.*

8. Declared performance(s):

Essential Characteristics	Performance	Harmonized Technical Specification
Reaction to Fire	<b>B2ca – s1a, d1, a1</b>	BS EN50575:2014+A1:2016
Dangerous Substances	<b>NONE</b>	

9. Appropriate Technical Documentation and/or Specific Technical Documentation:

**Report Number: 0843-CPR-200108**  
**Issue Date: 29 Apr 2022**

The performance of the product identified above is in conformity with this set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 and amended by Regulations 2019 and 2020 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Name:** Ted Cobb

**Function:** Engineer

**At (place):** CommScope

**on (date of issue):** 20 May 2022

**Signature:**

